

HT 400S Full Height Turnstiles

Single Full Height Turnstiles

HT427S · HT430S

HT439S · HT448S

Full Security for Everyone's Needs

The HT 400S Series of Full Height Turnstiles are engineered to meet all your security and access control requirements. Used as either stand alone units or as part of a fully integrated security control package, these turnstiles will not only fit your needs but your budget as well.



Dollar for dollar, Hayward Turnstiles are simply the best turnstile value in the access control industry.

We have engineered our turnstile products line with your needs in mind: Performance, aesthetics, reliability, and ease of maintenance.

In addition to turnstile and crowd control products, we offer design assistance for new installations, as well as custom fabricated devices.

Hayward Turnstiles provides access control systems regionally, nationally, and worldwide.

Contact us for more information about the new generation of turnstiles offered by Hayward Turnstiles.

Dimensions:

	Depth	Width	Passage Width	Passage Height	Overall Height
	A*	B*	C*	D*	E*
HT427 S	54" 1372mm	62" 1575mm	27" 686mm	84" 2134mm	91" 2311mm
HT430 S	56" 1422mm	66" 1676mm	30" 762mm	84" 2134mm	91" 2311mm
HT439 S	68" 1727mm	84" 2134mm	39" 990mm	84" 2134mm	91" 2311mm
HT448 S	93" 2362mm	106" 2692mm	48" 1219mm	84" 2134mm	91" 2311mm

* See CAD drawings on reverse side.



The New Standard in Secure Access Systems

160A Wampus Lane • Milford, CT 06460 • Ph: (203) 877-7096 • Fax: (203)877-7097

E-mail: info@haywardturnstiles.com or sales@haywardturnstiles.com • www.haywardturnstiles.com

HT 400S Full Height Turnstiles

Single Full Height Turnstiles

HT427S · HT430S

HT439S · HT448S

Applications:

The HT 400S Series Full Height Turnstiles are ideal for both indoor and outdoor settings. Wherever control of pedestrian traffic is necessary, these full height turnstiles will perform flawlessly.

Product Features:

Materials and finishes available in your choice of:

- Hot Dip Galvanized Steel
- Powder Coat over Steel
- 304 Stainless Steel with a No. 4 Satin Finish

Design & Construction:

- Designed for secure operation with aesthetics in mind
- Fully welded exterior components
- Features minimal exposed hardware
- All material meets ASTM standards

Controller & Access Control Operation:

- Self centering control head with adjustable hydraulic shock suppression
- Hardened tool steel locking bars, cam & roller assemblies
- Permanently lubricated bearings
- Available in clockwise, counter clockwise or bi-directional passage



Dimensions:

(see drawings to right and dimensions on front page)

- Exterior Height: 91"
- Width: 62" – 106" Available
- Pedestrian Clearance: 27", 30", 39" and 48"

Options:

- Electronic locking module featuring heavy duty 24 VDC solenoids and card reader interface
- Available as Fail-Safe (free passage on power failure) or Fail-Lock (locked passage on power failure)
- Can interface with card readers, computer attendance systems, coin or token acceptors, push buttons, wireless remote controls and metal detectors
- Electronic 6 digit resettable counter with LCD display and ten year lithium battery
- Vertical Graphic Array (VGA) showing red "x" / green arrow
- Additional options available on request



Electrical Specifications:

- Command Module input 110-240 VAC (2amp-1amp) 50-60 Hz stepped down to a safe 24 VDC output (UL recognized and CSA certified)

Warranty:

- Units are warranted against defects in materials and workmanship for a period of one year from date of delivery. See warranty information for specific details



The New Standard in Secure Access Systems

160A Wampus Lane • Milford, CT 06460 • Ph: (203) 877-7096 • Fax: (203)877-7097

E-mail: info@haywardturnstiles.com or sales@haywardturnstiles.com • www.haywardturnstiles.com