

HT 80 Aluminum Series

Full Height Turnstiles Interior and Exterior Application

HT 80S · HT 80T

Full Security with Style

The HT 80S (Single shown below) and HT 80T (Twin) are full security, tamper-resistant, full height turnstiles. Both are equipped with attractive aluminum Ovaline arms coated with a weather resistant finish making them ideal for indoor and outdoor applications.



Dollar for dollar, Hayward Turnstiles are simply the best turnstile value in the access control industry.

We have engineered our turnstile products line with your needs in mind: Performance, aesthetics, reliability, and ease of maintenance.

In addition to turnstile and crowd control products, we offer design assistance for new installations, as well as custom fabricated devices.

Hayward Turnstiles provides access control systems regionally, nationally, and worldwide.

Contact us for more information about the new generation of turnstiles offered by Hayward Turnstiles.



Available as a Metal-Detect Door where higher security is necessary. Metal detection and bullet-resistant panels are available in varying performance specs based on your application



HAYWARD
TURNSTILES, INC.

The New Standard in Secure Access Systems

160A Wampus Lane • Milford, CT 06460 • Ph: (203) 877-7096 • Fax: (203)877-7097

E-mail: info@haywardturnstiles.com or sales@haywardturnstiles.com • www.haywardturnstiles.com

HT 80 Aluminum Series

Full Height Turnstiles Interior and Exterior Application

HT 80S · HT 80T

Applications:

The HT 80 Series is a three vane full height turnstile with a weather resistant finish and is ideal for interior or exterior placement wherever style and durability are needed. It is crafted of 6005-T6 Aluminum Extrusion and features GE's transparent Lexan® polycarbonate cage panels.

Product Features:

- Materials and finishes available in your choice of: *Clear, Dark Bronze or Black Anodize*
- Performance features include automatic indent *Feather –Touch* action that includes shock suppressor technology and a non-entrapment design

Design & Construction:

- Designed for secure operation with aesthetics in mind
- Features minimal exposed hardware and meets ASTM standards

Controller &

Access Control Operation:

- Self centering control head with adjustable hydraulic shock suppression
- Hardened tool steel locking bars, cam & roller assemblies
- Permanently lubricated bearings
- Available in clockwise, counter-clockwise or bi-directional passage

Electrical Specifications:

- 110-240 VAC (2amp-1amp) 50-60 Hz stepped down to a safe 24 VDC output (UL recognized and CSA certified)

Dimensions:

HT 80S (Single)

- Exterior Height: 89.5"
- Width: 65.68"
- Pedestrian Clearance: 30"

Dimensions:

HT 80T (Twin)



- Exterior Height: 89.5"
- Width: 96.18"
- Pedestrian Clearance: 27"

Options:



- Electronic locking module featuring heavy duty 24 VDC solenoids and card reader interface
- Available as Fail-Safe (free passage on power failure) or Fail-Lock (locked passage on power failure)
- Can interface with card readers, computer attendance systems, coin or token acceptors, push buttons, wireless remote controls and metal detectors
- Electronic 6 digit resettable counter with LCD display
- Vertical Graphic Array (VGA) showing red "x" / green arrow
- Additional options available on request

Warranty:

- Units are warranted against defects in materials and workmanship for a period of one year from date of delivery.



HT 80S



HT 80T



The New Standard in Secure Access Systems

160A Wampus Lane • Milford, CT 06460 • Ph: (203) 877-7096 • Fax: (203) 877-7097

E-mail: info@haywardturnstiles.com or sales@haywardturnstiles.com • www.haywardturnstiles.com